CONTENTS

	Page
Effect of Time of Digestion on the Hydrolysis of Casein in the Presence of Starch. J. S. McHARGUE	1
Behavior of Sweet Potatoes in the Ground. HEINRICH HASSELBRING	9
Studies in Soil Reaction as Indicated by the Hydrogen Electrode. J. K. PLUMMER	19
Pure Cultures of Wood-Rotting Fungi on Artificial Media. W. H. LONG and R. M. HARSCH	33
Gossypol, the Toxic Substance in Cottonseed. W. A. WITHERS and FRANK E. CARRUTH	83
Fruit-Fly Parasitism in Hawaii During 1916. C. E. PEMBERTON and H. F. WILLARD	103
Irrigation Experiments on Apple-Spot Diseases. CHARLES BROOKS and D. F. FISHER	109
Relation of Carbon Dioxid to Soil Reaction as Measured by the Hydrogen Electrode. D. R. HOAGLAND and L. T. SHARP	139
A Study of the Plow Bottom and Its Action Upon the Furrow Slice. E. A. WHITE	149
Influence of Nitrates on Nitrogen-Assimilating Bacteria. T. L. HILLS	183
New-Place Effect in Maize. G. N. COLLINS	231
Relation of the Variability of Yields of Fruit Trees to the Accuracy of Field Trials. L. D. BATCHELOR and H. S. REED	245
Interrelations of Fruit-Fly Parasites in Hawaii. C. E. PEMBERTON and H. F. WILLARD	285
Water Extractions of Soils as Criteria of their Crop-Producing Power. JOHN S. BURD	297
Effect of Season and Crop Growth in Modifying the Soil Extract. GUY R. STEWART	311
The Freezing-Point Method as an Index of Variations in the Soil Solution Due to Season and Crop Growth. D. R. HOAGLAND	369
Efficacy of Some Anthelmintics. MAURICE C. HALL and WINTHROP D. FOSTER	397
Tobacco Wildfire. FREDERICK A. WOLF and A. C. FOSTER	449
Gipsy-Moth Larvæ as Agents in the Dissemination of the White-Pine Blister-Rust. G. FLIPPO GRAVATT and G. B. POSEY	459
Influence of Carbonates of Magnesium and Calcium on Bacteria of Certain Wisconsin Soils. H. L. FULMER	463

Humus in Mulched Basins, Relation of Humus Content to Orange Production, and Effect of Mulches on Orange Production. CHARLES A. JENSEN ..... Page 505
Relation of Kinds and Varieties of Grain to Hessian-Fly Injury. JAMES W. MCCOLLOCH and S. C. SALMON 519
Wilt Diseases of Okra and the Verticillium-Wilt Problem. C. W. CARPENTER 529
Winter Cycle of Egg Production in the Rhode Island Red Breed of Domestic Fowl. H. D. GOODALE 547
Digestion of Starch by the Young Calf. R. H. SHAW, T. E. WOODWARD, and R. P. NORTON 575
Toxicity of Volatile Organic Compounds to Insect Eggs. WILLIAM MOORE and SAMUEL A. GRAHAM 579
Corn-Stover Silage. J. M. SHERMAN and S. L. BECHDEL 589
Weevils Which Affect the Irish Potato, Sweet Potato, and Yam. W. DWIGHT PIERCE 601
Sterility in the Strawberry. W. D. VALLEAU 613
Effect of Nitrifying Bacteria on the Solubility of Tricalcium Phosphate. W. P. KELLEY 671
Respiration of Stored Wheat. C. H. BAILEY and A. M. GURJAR 685
Effects of Mistletoe on Young Conifers. JAMES R. WEIR 715
Determination of Fatty Acids in Butter Fat. E. B. HOLLAND and J. P. BUCKLEY, jr 719
Index 733

ERRATA AND AUTHORS' EMENDATIONS

Page 60, Table XIII, heading, "*Folyporus dryophilus*" should read "*Polyporus dryophilus*."
Page 105, Table I, "Peach (*Prunus persica*)" should read "Peach (*Amygdalus persica*)."
Page 321, line 8, "clay" should read "clay loam."
Page 335, line 5 from bottom, "(fig. 3–6)" should read "(fig. 8–20)."
Page 361, line 18 from bottom, omit "10."
Page 366, citation 27, "1917" should read "1918."
Pages 364–368, in citations 2, 16, 29, 30, 56, and 57, omit "Not seen."
Pages 394–395, citations 3 and 8, "1917" should read "1918."
Page 429, line 19 from bottom, "or against tapeworms" should read "and against tapeworms."
Page 430, line 6, "instability" should read "irritability."
Page 455, line 5, "stroke" should read "streak."

ILLUSTRATIONS

PLATES

Gossypol the Toxic Substance in Cottonseed

Page

PLATE 1. Effect of feeding cottonseed feeds to pigs: A.—Pig 3, showing condition on the ninety-fourth day on a feed containing ether-extracted cottonseed kernels. B.—Pig 3, showing condition on the fiftieth day. C.—Pig 4, showing condition on the twenty-seventh day on a feed containing vitamines. D.—Pig 1, showing condition on the fiftieth day on a feed containing cottonseed meal. See figure G. E.—Pig 2, showing condition on the twenty-seventh day on a feed containing gossypol. F.—Pig 3, showing condition on the twenty-seventh day on a feed containing ether-extracted cottonseed kernels. G.—Pig 1, showing condition on the fiftieth day on a feed containing cottonseed meal 102

Irrigation Experiments on Apple-Spot Diseases

PLATE 2. A.—Early stage of bitter-pit on Northern Spy apple. B.—Cross section of the apple shown in A 138

PLATE 3. A.—Late stage of bitter-pit on Rhode Island Greening apple. B.—Internal browning accompanying bitter-pit. C.—Jonathan-spot on Jonathan apple. D.—Early stage of drouthspots on a Winesap apple from Wenatchee, Wash. E.—Late stage of drouthspots on a Winesap apple. F.—Cross section of the apple shown in E 138

PLATE 4. A.—An apple orchard showing the furrow system of irrigation employed in the experimental work at Wenatchee, Wash. B.—Jonathan apple tree showing the effects of drouth, Wenatchee, Wash 138

PLATE 5. A.—Cork on Yellow Newtown apple from Hood River, Oreg. B.—Cross section of the apple shown in A. C.—White Pearmain apple showing the severity of the 1915 drouth at Wenatchee, Wash. D.—Cork, or "dry-rot," on a King apple. E.—Blister on an Esopus apple from Entiat, Wash. F.—An extreme case of Yorkspot on a York Imperial apple. G.—Cross section of the apple shown in F 138

A Study of the Plow Bottom and its Action Upon the Furrow Slice

PLATE 6. A.—A plow bottom with two sets of straight lines. B.—A plow bottom, the surface of which is composed of each of two surfaces. C.—A plow bottom similar to B, but with the surfaces merging into each other farther back on the moldboard. D.—A plow bottom, the surface of which does not contain an infinite set of straight lines 182

PLATE 7. A.—A plow bottom with a convex surface which has two sets of straight lines. B.—Instrument for measuring the space coordinates of any point of the plow bottom. C.—A sod plow showing the furrow slice turned by it 182

PLATE 8. A.—Rows of wooden pins driven into the sod for estimating the stretch of the furrow slice. B.—Furrow slice showing the position of the pins when on the moldboard 182

PLATE 9. A.—Plow showing attachment used to obtain the x, y, and z coordinates of points in the furrow slice. B.—Moldboard showing the paths of five soil particles. C.—Measurement of the angle Ny by use of a protractor and a plumb bob 182

INTERRELATIONS OF FRUIT-FLY PARASITES IN HAWAII

Page

PLATE 10. *Diachasma tryoni:* A.—Freshly hatched larva with its mandibles actually embedded in the body of a newly hatched but dead larva of *Opius humilis*. B.—Newly hatched larva with its mandibles closed, showing ventral serosal material surrounding the body and the two gill-like appendages on the first body segment..... 296

PLATE 11. *Diachasma tryoni:* A.—Lateral view of larva in the second instar, showing particularly well the fatbody of the host recently taken in as food. B.—Lateral view of a 2-day-old larva engorged with food and about to molt, showing the enlarged and stiffened body..... 296

PLATE 12. *Opius humilis:* A, B.—Dead larva in first instar; killed by first-stage larva of *Diachasma tryoni*, showing cut on body made by the attacking larva and mandibles extended in final death struggle. C.—Dead larva in first instar; killed by first-stage larva of *Diachasma tryoni*. D.—Dead larva in first instar; badly lacerated and distorted by attack of first-stage larva of *Diachasma tryoni*..... 296

PLATE 13. *Opius humilis:* A.—Dead larva in first instar, with body shriveled and twisted through attack by first-instar larva of *Diachasma tryoni*. B.—Dead larva in first instar; killed by first-instar larva of *Diachasma tryoni*. C.—Dead larva in first instar; killed by first-stage larva of *Diachasma tryoni*. D.—Healthy, living larva in first instar. E.—Healthy, uninjured, living larva in first instar..... 296

EFFECT OF SEASON AND CROP GROWTH IN MODIFYING THE SOIL EXTRACT

PLATE 14. A.—General views of soil containers. B.—Bins for storage of surplus soil..... 368

TOBACCO WILDFIRE

PLATE 15. *Bacterium tabacum:* A.—Tobacco leaf, four days after artificial inoculation, showing chlorosis and lesions. B.—Natural infection with brown lesions bordered by tissues of a water-soaked appearance..... 458

PLATE 16. *Bacterium tabacum:* A.—Natural infection. Lesions are large and concentrically zonate. B.—Numerous confluent lesions on one side of the midrib have resulted in distortion of the leaf. C.—Almost the entire leaf is involved and a portion of the rotted tissues have fallen out. Natural infection..... 458

WILT DISEASES OF OKRA AND THE VERTICILLIUM-WILT PROBLEM

PLATE A. *Fusarium vasinfectum* on vegetable media: 1–3.—Growth on steamed potato. Both potato cultures show pionnotes. 2, 4.—Growth on rice. Cultures 1 and 2 were grown in a strong north light; 3 and 4 in a subdued light..... 546

PLATE 17. A–H.—*Verticillium albo-atrum:* A.—Simple conidiophores and conidia. B.—Same showing, respectively, the collection of the conidia on the sterigma in irregular aggregations in dry air, and in water drops in humid air. C.—Verticillate conidiophores bearing one and three whorls, or virtels, of branches, respectively. D.—Verticillate conidiophore having conidial heads, from humid environment—that is, moisture drops in which the conidia float as in figure B. E.—Mycelium of *V. albo-atrum* in the vascular ducts of an okra plant inoculated with this fungus. F, H.—Germinating conidia. G.—Swollen, sclerotia-like mycelium.

I–M.—*Fusarium vasinfectum:* I.—Terminal, intercalary and conidial chlamydospores. K.—Germinating macroconidium. L.—*F. vasinfectum* from okra-wilt. M.—*F. vasinfectum* from cotton-wilt..... 546

PLATE 18. Longitudinal section of an okra plant naturally infected with *Verticillium albo-atrum*, showing the typical appearance ..... Page 546

PLATE 19. *Verticillium albo-atrum:* Two-weeks-old colony on potato agar, showing the concentric rings of black sclerotial bodies..... 546

PLATE 20. *Solanum melongena*, showing effect of wilt: A.—Control plant of the same age as the wilted plant (B). B.—Wilted plant photographed two months after inoculation at the hypocotyl with *Verticillium albo-atrum* isolated from wilted eggplant..... 546

PLATE 21. *Abelmoschus esculentus*, showing effect of wilt: A.—Control plant. B.—Wilted plant photographed two weeks after inoculation at the hypocotyl with a pure culture of *Verticillium albo-atrum*..... 546

PLATE 22. *Abelmoschus esculentus*, showing effect of wilt: A.—Wilted plant inoculated with *Verticillium albo-atrum*. B.—Control plant of the same age as wilted plant. Both plants were photographed two months after the wilted plant had been inoculated..... 546

PLATE 23. *Abelmoschus esculentus*, showing the effect of wilt as a result of inoculation with *Fusarium vasinfectum* isolated from okra-wilt..... 546

PLATE 24. *Gossypium herbaceum* (Columbia variety): Control plants 35 days old..... 546

PLATE 25. *Gossypium herbaceum* (Columbia variety), showing effect of wilt: Wilting plants photographed 15 days after inoculation at the hypocotyl with *Fusarium vasinfectum*, isolated from wilting cotton plants..... 546

PLATE 26. *Gossypium herbaceum* (Columbia variety), showing effect of wilt: Wilting plants photographed 15 days after inoculation at the hypocotyl with *Fusarium vasinfectum*, isolated from wilting okra..... 546

PLATE 27. *Abelmoschus esculentus*, showing the characteristic symptoms of the wilt produced by *Verticillium albo-atrum*..... 546

WEEVILS WHICH AFFECT IRISH POTATO, SWEET POTATO, AND YAM

PLATE 28. *Trypopremnon sanfordi:* Adult from Cuzco, Peru. A.—Dorsal view. B.—Face of same. C.—Side view of thorax and head. D.—Ventral view of adult..... 612

PLATE 29. *Trypopremnon latithorax:* Larva from La Paz, Bolivia. A.—Prothoracic spiracle. B.—Larva, lateral view. C.—Lateral view of head. D.—Right side view of apex of labium. E.—Corresponding hair on left side. F.—Maxillary palpiger and palpus, lateral view. G.—Face..... 612

PLATE 30. *Trypopremnon latithorax:* Pupa from La Paz, Bolivia. A.—Dorsal view. B.—Ventral view. C.—Enlarged sketch of eighth, ninth, and tenth abdominal segments..... 612

PLATE 31. Species of the genus Cylas: A.—*Cylas formicarius elegantulus* from Honolulu, Hawaii, side view of head and thorax. B.—*Cylas turcipennis* from Sumatra, side view of head and thorax. C.—*Cylas brunneus* from East Africa, dorsal view of thorax. D.—*Cylas brunneus*, side view of head and thorax. E.—*Cylas brunneus* ventral view of thorax. F.—*Cylas femoralis*, side view of head and thorax..... 612

PLATE 32. Sweet-potato and yam weevils: A.—*Cylas formicarius elegantulus*, female, from sweet potatoes, New Orleans, La. B.—Same, head of male. C.—*Euscepes batatae*, from sweet potatoes, Hawaii. D.—Same, side view of head. E.—*Palaeopus dioscoreae*, from yams (*Dioscorea batatas*), Jamaica. F. Same, side view of head..... 612

PLATE 33. Pupæ of sweet-potato weevils: A.—*Euscepes batatae*, Barbados, venter. B.—Same, latero-ventral view of fifth to tenth segments. C.—Same, dorsal view. D.—Same, venter of seventh to tenth segments. E.—*Cylas formicarius elegantulus*, Victoria, Texas, ventral view of sixth to tenth segments. F.—Same, ventral view. G.—Same, latero-ventral view. H.—Same, dorsal view..... 612

PLATE 34. Larvæ of sweet-potato weevils: A.—*Cylas formicarius elegantulus*, Victoria, Texas, lateral view. B.—Same, dorsum of head. C.—Same, face. D.—Same, side of head. E.—*Euscepes batatæ*, Barbados, dorsum of head. F.—Same, face. G.—Same, side of head. H.—Same, lateral view of larva. Page 612

STERILITY IN THE STRAWBERRY

PLATE B. Minnesota 3: 1.—Pollen mother cell previous to synapsis. 2.—Presynapsis in the pollen mother cell showing loops extending out from synaptic mass. 3.—Two loops and portion of a loop extending from the presynaptic mass. Same stage as figure 2. 4.—Synapsis in a pollen mother cell. 5.—A postsynaptic stage. 6.—Open spireme stage. 7.—A presegmentation stage of the spireme. 8.—A portion of a bivalent spireme thread of the same stage as figure 7. 9.—Segmentation of the bivalent spireme into chromosome pairs. 10.—A portion of the bivalent spireme during segmentation. 11, 12.—Chromosome pairs during the contraction period following segmentation. 13.—Individual chromosome pairs showing various figures commonly formed during contraction. 14.—Diakenesis in the pollen mother cell. 15.—Multipolar spindle stage of pollen mother cell. 16.—Early anaphase of the heterotypic division. 670

PLATE C. 1.—Late anaphase of the heterotypic division. 2.—Chromosomes on the equatorial plate of the homeotypic division. 3.—A portion of an anther in the tetrad stage, showing the microspores embedded in the gelatin-like sheath. 4.—A tetrad at the same stage as those shown in figure 3. 5.—A microspore shortly after liberation from the tetrad. 6.—A liberated microspore in which growth has commenced. 7.—A later stage than figure 6, showing the slight thickening of the wall and the irregularities due to growth of the wall. 8.—Microspore growth completed previous to division of the microspore nucleus. 9.—A section through a microspore nucleus in prophase showing the continuous univalent spireme. 10.—Another section of the same nucleus, showing the first stages of the disappearance of the nucleolus. 11.—Metaphase of the division of the microspore nucleus. 12.—*F. virginiana*. Anaphase in the division of the microspore nucleus. 13.—Telophase of the division of the microspore nucleus. 14.—A later stage than figure 13 in which the generative cell has been definitely cut off. 15.—A young pollen grain shortly after division, showing an increase in cytoplasm content. 16.—End view of a pollen grain showing the pattern of the laminate layers shown in figure 15 and Plate D, figures 1, 6, and 15. 670

PLATE D. 1.—Nearly mature pollen grain. 2.—Mature pollen grain. 3, 4, 5, 7.—Various types of degenerate microspores from anthers bearing microspores of the stage shown in Plate C, figure 6. 6.—An aborting microspore from an anther containing half-grown microspores. 8.—An aborting microspore of the same type as that shown in figure 6 from an anther containing nearly full-grown microspores as in Plate C, figure 8. 9, 11.—Microspores of the same types and same age as figures 6 and 8, in which degeneration has proceeded farther. 10.—An aborted microspore from an anther containing microspores of the stage shown in Plate C, figure 8. 12.—An early stage of degeneration in a full-grown 1-nucleate microspore. 13.—An early stage of degeneration in a full-grown 1-nucleate microspore. 14.—An aborting microspore containing an abnormally small amount of light staining cytoplasm; from an anther containing 1- and 2-nucleate microspores. 15.—An aborted microspore from an anther containing 1- and 2-nucleate microspores. 16.—An aborted microspore containing very scant cytoplasm. The nucleus has completely degenerated and degeneration of the cytoplasm has begun 670

PLATE E. 1.—A slightly more advanced stage of the condition shown in Plate D, figure 16. 2.—An early stage in the abortion of a full-grown 1-nulceate microspore. 3.—An early stage of abortion directly following microspore division. 4.—A full-grown 1-nucleate microspore containing very scant light-staining cytoplasm; from an anther containing 1- and 2-nucleate microspores. 5.—Another type of degeneration of a full-grown 1-nucleate microspore. 6.—An aborted microspore found among 1- and 2-nucleate microspores. 7.—A later stage of the type of degeneration shown in Plate D, figure 13; from an anther containing microspores of the stage of development shown by Plate C, figure 15. 8.—Degeneration of the generative cell shortly after division. 9, 10.—Common types of aborted microspores found with mature pollen. 11.—An aborted microspore, of the same type as that shown in figure 7. 12.—A pollen grain showing abortion of the generative cell and an abnormal vacuolate condition of the cytoplasm. 13.—A later stage of the type of degeneration shown in figure 8 ..... Page 670

PLATE 35. A.—Tertiary flower of the pistillate variety, Minnesota 1017×Progressive—13–40, showing prominent staminodia. B, C.—Primary and secondary flowers of the perfect variety, Minnesota 1017×Progressive—9–24; B showing intermediate and C perfect anthers. D, E, F.—Two primary and a secondary flower of the perfect variety, Minnesota 1017×Progressive—2–55, showing pistillate, intermediate, and perfect types of flowers. G, H, I, J.—Flowers from the perfect variety, Minnesota 1017×Progressive—32–1..... 670

PLATE 36. A, B, C, D.—Cross sections of two loculi of staminodia of the pistillate varieties, Crescent, Columbia, Minnesota 1017×Progressive—11–59, and Seedling 140, respectively. E.—Degeneration of the tetrads in an intermediate anther of *Fragaria virginiana*. F, G.—Later stages of the condition shown in figure E. H.—A portion of an intermediate anther from the first flower of Minnesota 3 670

EFFECTS OF MISTLETOE ON YOUNG CONIFERS

PLATE 37. A.—*Pseudotsuga taxifolia* infected with *Razoumofskya douglasii*. B.—Effect of an inoculation with *Razoumofskya campylopoda* on the height growth of 6-year-old *Pinus jeffreyi*..... 718